Index

Numbers

3-Way Color Corrector filter, 185–187
9-pin to USB serial adapters, 34–35
10-bit uncompressed codec, 202, 204
16x9 media, 205–206

A

abort capture on dropped frames, 29
accounts
    AutoSave vault, 28
    login IDs, 26
    multiple user accounts, 26
accuracy of batch list file, 46
activating Exposé, 5
adapters, 34–35
Add composite mode, 139
Add Edit feature, 62–64
Add Motion Keyframe button, 158
adding buttons to button wells, 36–37
adjusting
    audio levels
        Audio Mixer tool, 83–84
        multiple clips, 85
        Pen tool, 84–85
        Soundtrack Pro, 94–95
        Viewer window, 85–86
    Double-Click speed, 7
    parameters of video filters, 170–171
    sequence settings, 204
    tracking speed, 7
Adobe Photoshop
    configuring as external editor, 32–33
    Photoshop layers, 190–191
    PSD files, 33
    titles, 123–124
AIFF file format, 53
AJA I/O box, 35
alpha channels
    defined, 102
    drop shadows, 148
    graphic file formats, 102
    Travel Matte – Alpha composite mode, 140–141
    vector shapes, 195
analyzing audio files, 98–99
anamorphic 16x9 media, 205–206
Animation codec, 202, 204–205
animations
    Flop filter, 181
    LiveFonts, 104–106, 108–109
Apple Compressor
    Batch monitor window, 211–212
    droplets, 213–214
    frame controls, 212–213
    preset settings, 211–212
    QuickTime movies, 210–211
    sending sequences and clips to, 210
Apple Jam Packs, 92
Apple Web site, 214
application launch, 28

COPYRIGHTED MATERIAL

applying
filter packs, 178
filters
audio filters, 87
video filters, 170–172
transitions, 73–75
archiving media, 236–237
assigning motion parameters, 151
audio
analyzing audio files, 98–99
breaking linked audio and video, 76
detecting common problems, 98–99
Easy Setup, 35–36
importing, 53–55
linking with video, 76
system settings, 33–34
volume control, 87
audio bit rate (digital camera), 16
audio channels, 30
Audio File editor, 95
audio editing
Add Edit feature, 62–64
insert edit, 66–67
montage, 71–72
multiple sequences, 70
option key, 76
overwrite edit, 66–67
Replace Edit feature, 64–65
slideshow, 71–72
slip content, 65
snapping feature, 66
Swap Edit tool, 72–73
Timeline
Close Gap command, 68
Fit to Window, 68
linking icon, 76
Selection tool, 68
Track Backward tool, 69
Track Forward tool, 69
Zoom function, 67
Zoom slider bar, 67–68
workflows, 62
audio filters
applying, 87
Compressor/Limiter, 87–89
Gain, 87
Soundtrack Pro, 95
audio levels
adjusting
Audio Mixer tool, 83–84
multiple clips, 85
Pen tool, 84–85
Soundtrack Pro, 94–95
Viewer window, 85–86
keyframes, 84–85
mixing, 80–83
Timeline, 83–87
audio mixing
audio levels, 80–83, 94–95
Audio Mixer tool, 81–84
noise reduction, 96–98
normalization, 98
real-time audio mixing
hard drive speed, 27
user preferences, 26–27
Soundtrack Pro
audio filters, 95
audio levels, 94–95
features, 90–91
Timeline, 91
Voice Over tool, 89–90
workflows, 80
audio outputs, 30–31
audio playback quality, 27
audio sample-rate conversion, 53–55
audio tracks
ingesting, 52
number of independent audio tracks, 30–31
QuickTime movies, 30–31
Real Time audio mixing, 26–27
resizing, 69
Auto Select function, 180–181
AutoSave vault
accounts, 28
default location, 28
user preferences, 28–29
avoiding rerendering, 230

B

backgrounds
LiveType, 104–107
rendering, 197
batch capturing logged files, 46

batch list file
accuracy of, 46
creating, 45
defined, 45
importing, 46
Bezier curves, 159–160
B-frames, 209
Blackmagic I/O box, 35
blue screen, 191–192
blur effects, 148
Boris Title 3D, 122–123
Boris vector shapes, 195–196
breaking linked audio and video, 76
breaks in TimeCode, 29
Browser window, 227–229
button wells, 36–38
buttons
interface
adding to button wells, 36–37
creating, 36–37
listing, 36–37
removing from button wells, 37
mapping effects to buttons, 178–180
Mighty Mouse, 6

C

cables
FireWire, 14–15
length limitations for storage devices, 14
MiniDin8 serial to DB9 male serial cable, 35
SCSI Ultra-320, 14
Serial ATA, 14, 16
shielding, 14
troubleshooting, 21
USB, 14–15
camera
audio bit rate, 16
configuring, 16–17
connection, 34
device control, 34
video frame rate, 16–17
Capture Now feature, 47
capture presets, 33
Capture Scratch folder, 224–225
capturing
abort capture on dropped frames, 29
batch capturing logged files, 46
Capture Now feature, 32, 47
defined, 42
drop frames, 44
limiting capture time, 32
Log and Capture tool, 43–46
Log and Transfer tool, 49–51
logging, 45–46
logging bin, 44
time codes, 44
TimeCode breaks, 29
without deck control, 47–49
CD file format, 53
changing
composite modes, 138–139
filter area, 172
chapter markers
DVDs, 215–217
iPhone, 219
iPod, 219
character map
clip art, 9
configuring, 9–10
symbols, 9
Character Palette
LiveType, 114–117
showing, 9–10
checking
Mac OS X preferences, 4
software updates, 20
Chroma Keyer filter, 191–192
chroma keying, 191–192
clip art, 9
Clip Keyframes filter, 173–174
clips
Apple Compressor, 210
batch list file, 45–46
Browser window, 227–229
composite mode, 138–139
composite modes, 140
insert edit, 66
media files, 42
moving, 68–69
naming, 42, 56–57, 228
overview edit, 66
playing in reverse, 136–137
rearranging, 72
renaming, 56–57, 228

slip content, 65
snapping feature, 66
start/stop locations, 47–49
stretched, 206–207
sub-clips
creating, 228–229
naming, 229
renaming, 228–229
Close Gap command (Timeline), 68
closing gaps in sequences, 68
codecs
Animation, 202, 204–205
defined, 209
DV, 204, 208, 210
DVCPRO, 204, 210
MPEG-4, 218
quality, 204
uncompressed, 202, 204
collapsing video layers, 188–190
color correction
black values, 185
mid-range values, 185
multiple clips, 186
white values, 185
composite modes
Add, 139
changing, 138–139
Darken, 139
defined, 138
Difference, 139
Hard Light, 139
Lighten, 139
Multiply, 139
Overlay, 139
Screen, 139
Soft Light, 139
Subtract, 139
Travel Matte – Alpha, 140–143
Travel Matte – Luma, 144
compositing
keyframes, 151–153
motion graphics compositing, 117–119
shapes, 193
compression markers, 217–218
Compressor
Batch monitor window, 211–212
droplets, 213–214
frame controls, 212–213
preset settings, 211–212
QuickTime movies, 210–211
sending sequences and clips to, 210
Compressor/Limiter filter, 87–89
configuring
audio outputs, 30–31
character map, 9–10
digital camera, 16–17
Dock, 12
Energy Saver preferences, 4
external editors, 32–33
hardware, 12
iDisk, 11–12
logging bin, 44
Mighty Mouse, 6–7
MobileMe, 11
multiple users, 26
Spotlight, 8–9
third-party (USB) mouse, 7
connection
digital camera, 34
tape machine, 34–35
consolidating sequences, 232
conversion of audio sample-rates, 53–55
copying
filter attributes, 174–177
media, 236
motion parameters, 163
corrupted file permissions, 22
creating
batch list file, 45
buttons, 36–37
keyframes, 173
media files, 42
slug, 63
sub-clips, 228–229
curves (Bezier), 159–160
customizing
button wells, 36–38
user interface, 36–38

D

Darken composite mode, 139
Dashboard, 6
data rates, 204–205
deactivating Exposé, 5–6

deck
Capture Now feature, 47
capturing without deck control, 47–49
disabling deck controls, 47
"Unable to initialize video deck" message, 43
default transition, 73–74
deleting
buttons from button wells, 37
Final Cut Pro preferences file, 21–22
transitions, 75
detecting common audio problems, 98–99
device control, 34–35
Difference composite mode, 139
digital camera
audio bit rate, 16
configuring, 16–17
connection, 34
device control, 34
video frame rate, 16–17
DigitalJuice, 104, 106
Direct-to-Edit Recorders (Focus Enhancements), 53
disabling
deck controls, 47
software updates, 8
disk image, 18–20
disk space requirements, 17–18
Disk Utility
disk image creation, 18–19
file permissions, 22
Dock, 12
Double-Click speed, 7
drop frames, 44
drop shadow, 148–150
droplets, 213–214
Dual Mono (for audio channels), 30
duplicating video layers, 183–184
DV codec, 204, 208, 210
DV video format, 57–58
DVCPRO codec, 204, 210
DVD install files, 17
DVD production
Apple Compressor, 210–214
B-frames, 209
chapter points, 215–217
DVD Studio Pro, 209–210
GOP (Group of Pictures), 209
iDVD, 209–210
I-frames, 209
MPEG-2 compression, 209–210
P-frames, 209
DVD Studio Pro, 209–210
DV-NTSC video format, 33–34
frame rate, 34

E

Easy Setup, 35–36
edit points, 62–64
editing
Add Edit feature, 62–64
insert edit, 66–67
montage, 71–72
multiple sequences, 70
option key, 76
overwrite edit, 66–67
Replace Edit feature, 64–65
slideshow, 71–72
slip content, 65
snapping feature, 66
Swap Edit tool, 72–73
Timeline
Close Gap command, 68
Fit to Window, 68
linking icon, 76
Selection tool, 68
Track Backward tool, 69
Track Forward tool, 69
Zoom function, 67
Zoom slider bar, 67–68
workflows, 62
editors
Adobe Photoshop, 32–33
configuring, 32–33
system settings, 32–33
effects
FogWriter, 112–114
freeze frame, 130–132
mapping to shortcut keys or buttons, 178–180
motion effects
Bezier curves, 159–160
drop shadow, 148–150
Image+Wireframe mode, 153–158
Ken Burns Effect, 164–166
keyframes, 151–153
LiveType, 117–118

opacity, 150–151
organizing, 161–162
picture-in-picture, 175–177
saving, 160–161
sense of timing, 163–164
slow motion effects
constant speed, 132–133
variable speed, 133–137
third-party, 130
Effects tab, 170
Energy Saver preferences, 4
Exposé preferences, 5–6
external editors
Adobe Photoshop, 32–33
configuring, 32–33
system settings, 32–33
external storage devices, 13–16

F

FCP file format, 53
file formats
AIFF, 53
CD, 53
FCP, 53
JPG, 102
MP3, 53
MPEG, 55
PICT, 102
PNG, 102
PSD, 33, 102
TGA, 102
TIFF, 102
WAV, 53
file permissions, 22
file transfers with iDisk, 12
filter area, trimming, 172, 177
filter packs, 178
filters
audio
applying, 87
Compressor/Limiter, 87–89
Gain, 87
Soundtrack Pro, 95
video
3-Way Color Corrector, 185–187
adjusting filter parameters, 170–171
applying, 170–172
Auto Select function, 180–181
changing filter area, 172
Chroma Keyer, 191–192
Clip Keyframes filter, 173–174
copying filter attributes, 174–177
filter packs, 178
Flop, 181–182
keyframes, 173
pasting filter attributes, 174–177
Pleasantville effect, 186–188
processing order, 181–182
saving, 177–178
trimming filter area, 172, 177
Filters tab, 170–171
Final Cut Pro preferences file
deleting, 21–22
finding, 21
troubleshooting, 21–22
Finder, 225–227
finding Final Cut Pro preferences file, 21
FireWire devices, 14–15
Fit to Window (Timeline), 68
fixing audio problems, 99
Flip4Mac plug-ins, 207
Flop filter, 181–182
Focus Enhancements' Direct-to-Edit Recorders, 53
Fogwriter effect, 112–114
FontMaker, 106–108
fonts
FontMaker, 106–108
LiveFonts
differences from standard fonts, 108
Fogwriter, 112–114
timing, 109–111
standard fonts, 108
frame controls, 212–213
frame rates
DV-NTSC video format, 34
HDV video format, 34
mixing in sequences, 202
PAL video format, 34
frames
abort capture on dropped frames, 29
drop frames, 44
freeze frame effect, 130–132
freeze duration of still images, 30
freeze frame effect, 130–132
functions of Mighty Mouse, 6

G

Gain filter, 87
gaps in sequences, 68
glyph, 108
graphics
    file formats, 102
    quality, 125–126
green screen, 191–192
Group of Pictures (GOP), 209

H

hard drives
    archiving media, 236–237
    sleep mode, 4
    speed, 27
Hard Light composite mode, 139
hardware
    configuring, 12
    storage devices, 13–15
    troubleshooting problems, 21
    video-editing keyboard, 13
HD video format, 57–58
HDV video format
    capture presets, 33–34
    frame rate, 34
    storage requirements, 57–58

I

iDisk
    configuring, 11–12
    file transfers, 12
iDVD, 209–210
I-frames, 209
Image+Wireframe mode, 153–158
importing
    audio, 53–55
    batch list file, 46
    LiveType projects, 226
    media, 52–55, 225–226
    QuickTime movies, 210
    SoundTrack Pro audio files, 8
ingesting media, 51–52
insert edit, 66–67
installing
    Final Cut Pro
        disk image, 18–20
        disk space requirements, 17–18
        DVD install files, 17
        software updates, 20–21
        time required, 17
    QuickTime Pro, 208
    SoundTrack Pro audio files, 8
    third-party effects, 130
interface
    button wells, 36–38
    customizing, 36–38
    LiveType, 103
iPhone video clips, 218–219
iPod videos, 218–219
iTunes, 54

J

Jam Packs, 92
JPG file format, 102

K

Ken Burns Effect, 164–166
keyboard
    layout settings, 38–39
    mapping, 38
    video-editing keyboard, 13
keyboard shortcuts
    default settings, 39
    mapping effects to shortcut keys, 178
keyframes
    Add Motion Keyframe button, 158
    audio levels, 84–85
    compositing, 151–153
    creating, 173
    Image+Wireframe mode, 153–158
    motion parameters
        assigning, 151
        copying, 163
        pasting, 163
    Motion tab, 151–153
    navigating, 158
    plotting, 158
    video filters, 173

L

launching Final Cut Pro, 28
layers
    Photoshop layers, 190–191
    video layers

collapsing, 188–190
duplicating, 183–184
nesting, 188–190
levels of undo, 26
Lighten composite mode, 139
limiting capture time, 32
linking audio and video, 76
linking icon (Timeline), 76
listing buttons, 36–37
LiveFonts
differences from standard fonts, 108
Fogwriter, 112–114
timing
random timing, 111
sequence timing, 109–111
LiveType
background settings, 104
backgrounds, 104–107
Character Palette, 114–117
disk space requirements, 18
documentation, 103
importing LiveType projects, 226
interface, 103
looping animations, 104–107
motion graphics compositing, 117–119
preferences, 104
resolution, 125
templates, 103
text on a curve, 119–122
textures, 104–108
timing
random timing, 111
sequence timing, 109–111
user manual, 103
video, 118–119
LiveTypeCentral.com, 104, 108
location of media files, 42
Log and Capture tool, 43–46
Log and Transfer tool, 49–51
logging, 45–46
logging bin, 44
login IDs, 26
looping animations
LiveFonts, 104–105, 108–109
LiveType, 104–107
luminance, 144

M

Mac OS X
Finder, 225–227
preferences
character map, 9–10
checking, 4
Dock, 12
Energy Saver, 4
Exposé, 5–6
iDisk, 11–12
Mighty Mouse, 6–7
MobileMe, 11
software updates, 8
Spotlight, 8–9
managing
media
Browser window, 227–229
Capture Scratch folder, 224–225
Mac OS X Finder, 225–227
Media Manager, 231–235
Render Manager, 230–231
Target mode, 236
motion effects, 161–162
plug-ins, 130
mapping
effects to shortcut keys or buttons, 178–180
keyboard, 38
masks, 193–195
mattes
Travel Matte – Alpha composite mode, 140–143
Travel Matte – Luma composite mode, 144
MBOX (M-Audio), 89
media
anamorphic, 205–206
archiving, 236–237
clips, 42
capturing
abort capture on dropped frames, 29
batch capturing logged files, 46
Capture Now feature, 32, 47
defined, 42
drop frames, 44
limiting capture time, 32
Log and Capture tool, 43–46
Log and Transfer tool, 49–51

media, capturing *(continued)*
logging, 45–46
logging bin, 44
time codes, 44
TimeCode breaks, 29
without deck control, 47–49
copying, 236
creating, 42
importing, 52–55, 225–226
ingesting, 51–52
location of, 42
moving, 233–235
offline media, 235
organizing
Browser window, 227–229
Capture Scratch folder, 224–225
Mac OS X Finder, 225–227
Media Manager, 231–235
Render Manager, 230–231
Target mode, 236
recompressing, 232–233
16x9 media, 205–206
slug, 63
storage requirements, 57–58
Media Manager, 231–235
mediafiles
defined, 42
location of, 42
references to, 42
Mighty Mouse
buttons, 6
configuring, 6–7
Double-Click speed, 7
functions, 8
right clicking, 6
scroll ball, 6
tracking speed, 7
MiniDin8 serial to DB9 male serial cable, 35
mixing
audio
audio levels, 80–83, 94–95
Audio Mixer tool, 81–84
noise reduction, 96–98
normalization, 98
real-time audio mixing, 26–27
Soundtrack Pro, 90–91, 94–95
Voice Over tool, 89–90
workflows, 80
resolution and frame rates in sequences, 202
MobileMe, 11
montage, 71–72
Motion, 198–199
motion blur, 148
motion effects
Bezier curves, 159–160
drop shadow, 148–150
Image+Wireframe mode, 153–158
Ken Burns Effect, 164–166
keyframes, 151–153
LiveType, 117–118
opacity, 150–151
organizing, 161–162
picture-in-picture, 175–177
saving, 160–161
sense of timing, 163–164
motion graphics
compositing, 117–119
templates, 198–199
titles
alpha channels, 102
Boris Title 3D, 122–123
LiveType, 104–111, 118–122, 125
Photoshop CS, 123–124
quality, 125–126
Motion media, 18
motion parameters
assigning, 151
copying, 163
pasting, 163
Motion tab
drop shadow, 148–150
keyframes, 151–153
motion blur, 148
opacity, 148, 150–151
positioning, 148
rotation, 148
scaling, 148
time remap, 148
mouse
Mighty Mouse, 6–7
third-party USB mouse, 7
tracking speed, 7

movie titles
alpha channels, 102
Boris Title 3D, 122–123
LiveType
background settings, 104
backgrounds, 104–107
looping animations, 104–107
resolution, 125
templates, 103
text on a curve, 119–122
textures, 104–108
timing, 109–111
video, 118–119
Photoshop CS, 123–124
quality, 125–126
moving
clips, 68–69
media, 233–235
MP3 file format, 53
MPEG file format, 55
MPEG playback component (QuickTime Pro), 214
MPEG Streamclip, 55
MPEG-2 compression, 209–210
MPEG-4 codec, 218
multiple sequences, editing, 70
multiple user accounts, 26
Multiply composite mode, 139
music
Apple Jam Packs, 92
music and sound effect library, 92
searching, 92–93

N

naming
clips, 42, 56–57, 228
sub-clips, 228–229
navigating keyframes, 158
nesting video layers, 188–190
9-pin to USB serial adapters, 34–35
noise, removing, 96–98
normalization, 98

O

offline media, 235
opacity
Motion tab, 148, 150–151
Timeline, 150
variable opacity levels, 150
opening
last project on application launch, 28
sequences, 70
option key, 76
organizing
media
Browser window, 227–229
Capture Scratch folder, 224–225
Mac OS X Finder, 225–227
Media Manager, 231–235
Render Manager, 230–231
Target mode, 236
motion effects, 161–162
plug-ins, 130
output
DVD
Apple Compressor, 210–214
B-frames, 209
chapter points, 215–217
DVD Studio Pro, 209–210
GOP (Group of Pictures), 209
iDVD, 209–210
I-frames, 209
MPEG-2 compression, 209–210
P-frames, 209
tape, 219–220
Web content, 218
Overlay composite mode, 139
overwrite edit, 66–67
Overwrite with Transition box, 74–75

P

PAL video format
capture presets, 33–34
frame rate, 34
panning
Audio Mixer tool, 81
Viewer window, 85–86
pasting
filter attributes, 174–177
motion parameters, 163
permissions (file permissions)
corrupted, 22
rebuilding, 22
P-frames, 209
photos
Adobe Photoshop, 32–33
composite modes, 138

photos *(continued)*
freeze duration, 30
Ken Burns Effect, 164–166
Photoshop (Adobe)
configuring as external editor, 32–33
Photoshop layers, 190–191
PSD files, 33
titles, 123–124
PICT file format, 102
picture-in-picture effect, 175–177
playback quality of audio, 27
playback settings (QuickTime Pro), 208
playing clips in reverse, 136–137
Pleasantville effect, 186–188
plotting keyframes, 158
plug-ins
Flip4Mac, 207
organizing, 130
Too Much Too Soon, 130
PNG file format, 102
positioning with Motion tab, 148
preferences
LiveType, 104
Mac OS X preferences
character map, 9–10
checking, 4
Dock, 12
Energy Saver, 4
Exposé, 5–6
iDisk, 11–12
Mighty Mouse, 6–7
MobileMe, 11
software updates, 8
Spotlight, 8–9
system settings
audio, 33–34
capture time, 32
device control, 34–35
external editors, 32–33
keyboard layout settings, 38–39
scratch disks, 31–32
video, 33–34
user preferences
abort capture on dropped frames, 29
audio outputs, 30–31
audio playback quality, 27
AutoSave vault, 28–29
freeze duration for still images, 30
levels of undo, 26
opening last project on application launch, 28
real-time audio mixing, 26–27
TimeCode breaks, 29
preferences file
deleting, 21–22
finding, 21
troubleshooting, 21–22
presets
capture presets, 33
sequence presets, 33
track height presets, 69
Print to Video feature, 219–220
processing order of video filters, 181–182
processing settings, 202–204
production of DVDs
Apple Compressor, 210–214
B-frames, 209
chapter points, 215–217
DVD Studio Pro, 209–210
GOP (Group of Pictures), 209
iDVD, 209–210
I-frames, 209
MPEG-2 compression, 209–210
P-frames, 209
projects
AutoSaved copies, 28
opening last project on application launch, 28
restoring, 28–29
PSD files, 33, 102

Q

quality
of graphics, 125–126
of titles, 125–126
Quicklook viewer, 227
QuickTime movies
audio tracks, 30–31
importing, 210
QuickTime reference movie, 210
QuickTime Pro
converting audio clips to 48 kHz, 54–55
features, 207
Flip4Mac plug-ins, 207
installing, 208

MPEG playback component, 214
playback settings, 208

R

Range Selection tool, 171
real-time audio mixing
hard drive speed, 27
user preferences, 26–27
rearranging clips, 72
rebuilding file permissions, 22
recompressing media, 232–233
references to mediafiles, 42
removing
buttons from button wells, 37
noise, 96–98
transitions, 75
renaming
clips, 56–57, 228
sub-clips, 228–229
Render Manager, 230–231
rendering
avoiding rerendering, 230
backgrounds, 197
Replace Edit feature, 64–65
resizing tracks, 69
resolution
Ken Burns effect, 164
LiveType, 125
mixed resolutions in sequences, 202
offline media, 235–237
screen resolution, 87, 173
restoring projects, 28–29
right clicking, 6
rotation, 148
RS-422 to standard serial adapters, 34
running software updates, 20–21

S

sample-rate conversion, 53–55
saving
motion effects, 160–161
video filters, 177–178
scaling, 148
scratch disks, 31–32
Screen composite mode, 139
screen resolution, 87, 173
scroll ball (Mighty Mouse), 6
SCSI Ultra-320 cables, 14
searching
music, 92–93
sound effects, 92–93
SoundTrack Pro audio files, 8
Selection tool (Timeline), 68
sense of timing, 163–164
sequence settings, 202–204
sequences
Apple Compressor, 210
compression marker, 218
compression markers, 217
consolidating, 232
editing multiple sequences, 70
gaps, 68
mixed resolutions and frame rates, 202
opening, 70
output to tape, 219–220
sequence presets, 33
Serial ATA storage devices, 14, 16
settings
LiveType, 104
Mac OS X preferences
character map, 9–10
checking, 4
Dock, 12
Energy Saver, 4
Exposé, 5–6
iDisk, 11–12
Mighty Mouse, 6–7
MobileMe, 11
software updates, 8
Spotlight, 8–9
system settings
audio, 33–34
capture time, 32
device control, 34–35
external editors, 32–33
keyboard layout settings, 38–39
scratch disks, 31–32
user settings
abort capture on dropped frames, 29
audio outputs, 30–31
audio playback quality, 27
AutoSave vault, 28–29

settings, user settings *(continued)*
freeze duration for still images, 30
levels of undo, 26
opening last project on application launch, 28
real-time audio mixing, 26–27
TimeCode breaks, 29
video, 33–34
shadows
drop shadow, 148–150
shapes, 195
shapes
compositing, 193
masks, 193–195
vector shapes, 195–196
shielding on cables, 14
shortcut keys
default settings, 39
mapping effects to shortcut keys, 178–180
showing Character Palette, 9–10
16x9 media, 205–206
sleep mode, 4
slideshow, 71–72
slip content, 65
slow motion effects
constant speed, 132–133
variable speed, 133–137
slug, 63
snapping feature, 66
Soft Light composite mode, 139
software updates
disabling, 8
running, 20–21
sound
analyzing audio files, 98–99
breaking linked audio and video, 76
detecting common problems, 98–99
Easy Setup, 35–36
importing, 53–55
linking with video, 76
system settings, 33–34
volume control, 87
sound effects
Apple Jam Packs, 92
music and sound effect library, 92
searching, 92–93
SoundTrack Pro
Audio File editor, 95
audio files
disk space requirements, 18
importing, 8
installing, 8
searching, 8
audio filters, 95
audio levels, 94–95
features, 90–91
Timeline, 91
special effects
FogWriter, 112–114
freeze frame, 130–132
mapping to shortcut keys or buttons, 178–180
motion effects
Bezier curves, 159–160
drop shadow, 148–150
Image+Wireframe mode, 153–158
Ken Burns Effect, 164–166
keyframes, 151–153
LiveType, 117–118
opacity, 150–151
organizing, 161–162
picture-in-picture, 175–177
saving, 160–161
sense of timing, 163–164
slow motion effects
constant speed, 132–133
variable speed, 133–137
third-party, 130
speed of hard drives, 27
Spotlight, 8–9
standard fonts, 108
standard serial adapters, 34
start/stop locations on clips, 47–49
Stereo (for audio channels), 30
still images
Adobe Photoshop, 32–33
composite modes, 138
freeze duration, 30
Ken Burns Effect, 164–166
storage devices, 13–16
storage requirements for media, 57–58
stretched clips, 206–207

sub-clips
creating, 228–229
naming, 228–229
renaming, 228–229
Subtract composite mode, 139
Superimpose feature, 141
Swap Edit tool, 72–73
symbols, 9
system settings
audio, 33–34
capture time, 32
device control, 34–35
external editors, 32–33
keyboard layout settings, 38–39
scratch disks, 31–32
video, 33–34

T

tape machine
AJA I/O box, 35
Blackmagic I/O box, 35
connection, 34–35
device control, 34–35
Target mode, 236
templates
LiveType, 103
motion graphics, 198–199
10-bit uncompressed codec, 202, 204
text on a curve, 119–122
textures, 104–108
TGA file format, 102
third-party effects
installing, 130
Too Much Too Soon plug-in, 130
third-party mouse, 7
3-Way Color Corrector filter, 185–187
TIFF file format, 102
time codes
capturing, 44
logging, 45–46
time remap, 148
time required for installation, 17
TimeCode
breaks, 29
defined, 29
user preferences, 29
Timeline
audio levels, 83–87
Close Gap command, 68
Fit to Window, 68
linking icon, 76
opacity, 150
Selection tool, 68
Track Backward tool, 69
Track Forward tool, 69
Zoom function, 67
Zoom slider bar, 67–68
Timeline (Soundtrack Pro), 91
timing with LiveType, 109–111
Title 3D tool, 122–123
titles
alpha channels, 102
Boris Title 3D, 122–123
LiveType
background settings, 104
backgrounds, 104–107
looping animations, 104–107
resolution, 125
templates, 103
text on a curve, 119–122
textures, 104–108
timing, 109–111
video, 118–119
Photoshop CS, 123–124
quality, 125–126
Too Much Too Soon plug-ins, 130
tools
Audio Mixer, 83–84
Log and Capture, 43–46
Log and Transfer, 49–51
Pen, 84–85
Range Selection, 171
Selection, 68
Swap Edit, 72–73
Title 3D, 122–123
Track Backward, 69
Track Forward, 69
Voice Over, 89–90
Track Backward tool (Timeline), 69
Track Forward tool (Timeline), 69
track height presets, 69
tracking speed, 7

tracks
audio tracks
ingesting, 52
number of independent audio tracks, 30–31
QuickTime movies, 30–31
Real Time audio mixing, 26–27
resizing, 69
video tracks
ingesting, 52
resizing, 69
voiceover tracks, 62, 69
transerring footage. *See* capturing
transferring files with iDisk, 12
transitions
applying, 73–75
default, 73–74
deleting, 75
Overwrite with Transition box, 74–75
removing, 75
Travel Matte – Alpha composite mode, 140–143
Travel Matte – Luma composite mode, 144
trimming
filter area, 172, 177
option key, 76
slip, 65
Superimpose feature, 141
troubleshooting
cables, 21
Final Cut Pro preferences file, 21–22
hardware problems, 21
turning on/off Dashboard, 6
type. *See* titles

U

"Unable to initialize video deck" message, 43
uncompressed codec, 202, 204
undo, 26
updates for software
disabling, 8
running, 20–21
USB mouse, 7
USB storage devices, 14–15
user accounts
AutoSave vault, 28
login IDs, 26
multiple user accounts, 26
user interface
button wells, 36–38
customizing, 36–38
user preferences
abort capture on dropped frames, 29
audio outputs, 30–31
audio playback quality, 27
AutoSave vault, 28–29
freeze duration for still images, 30
levels of undo, 26
opening last project on application launch, 28
real-time audio mixing, 26–27
TimeCode breaks, 29

V

variable opacity levels, 150
vector shapes, 195–196
video
breaking linked audio and video, 76
Easy Setup, 35–36
linking with audio, 76
LiveType, 118–119
system settings, 33–34
video capture
abort capture on dropped frames, 29
batch capturing logged files, 46
Capture Now feature, 32, 47
defined, 42
drop frames, 44
limiting capture time, 32
Log and Capture tool, 43–46
Log and Transfer tool, 49–51
logging, 45–46
logging bin, 44
time codes, 44
TimeCode breaks, 29
without deck control, 47–49
video clips
iPhone, 218–219
iPod, 218–219
video deck
Capture Now feature, 47
capturing without deck control, 47–49
disabling deck controls, 47
"Unable to initialize video deck" message, 43

video editing
Add Edit feature, 62–64
insert edit, 66–67
montage, 71–72
multiple sequences, 70
option key, 76
overwrite edit, 66–67
Replace Edit feature, 64–65
slideshow, 71–72
slip content, 65
snapping feature, 66
Swap Edit tool, 72–73
Timeline
Close Gap command, 68
Fit to Window, 68
linking icon, 76
Selection tool, 68
Track Backward tool, 69
Track Forward tool, 69
Zoom function, 67
Zoom slider bar, 67–68
workflows, 62
video-editing keyboard, 13
video filters
adjusting filter parameters, 170–171
applying, 171–172
Auto Select function, 180–181
changing filter area, 172
Chroma Keyer, 191–192
Clip Keyframes, 173–174
copying filter attributes, 174–177
filter packs, 178
Flop, 181–182
keyframes, 173
pasting filter attributes, 174–177
Pleasantville effect, 186–188
processing order, 181–182
saving, 177–178
3-Way Color Corrector, 185–187
trimming filter area, 172, 177
video formats
DV, 57–58
DV-NTSC, 33–34
HD, 57–58
HDV, 33–34, 57–58
PAL, 33–34
video frame rate (digital camera), 16–17
video layers
collapsing, 188–190
duplicating, 183–184
nesting, 188–190
video processing settings, 202–204
video tracks
ingesting, 52
resizing, 69
video transitions
applying, 73–75
default, 73–74
deleting, 75
Overwrite with Transition box, 74–75
removing, 75
Viewer window
adjusting audio levels, 85–86
panning, 85–86
Voice Over tool, 89–90
voiceover tracks, 62, 69
volume control, 87

W

WAV file format, 53
Web content
MPEG-4 codec, 218
output settings, 218
workflows
audio mixing, 80
editing, 62

Y

YouTube, 218

Z

Zoom function (Timeline), 67
Zoom slider bar (Timeline), 67–68